ELSEVIER

Marine Micropaleontology 37 (1999) 393–394

MARINE MICROPALEONTOLOGY

www.elsevier.com/locate/marmicro

Contents Volume 37, 1999

Research Papers

Pleistocene fluctuations in the Agulhas Current Retroflection based on the calcareous plankton record
J.-A. Flores, R. Gersonde and F.J. Sierro 1

Late Quaternary course changes of the Kuroshio Current in the Ryukyu Arc region, northwestern Pacific Ocean
H. Ujiié and Y. Ujiié 23

Biostratigraphic significance of sequential size variations of the calcareous nannofossil genus *Reticulofenestra* in the Upper Pliocene of the North Atlantic
K. Kameo and T. Takayama 41

Evolution in the test size of deep-sea benthic foraminifera during the past 120 m.y.
K. Kaiho 53

Effect of organic carbon flux and dissolved oxygen on the benthic foraminiferal oxygen index (BFOI)
K. Kaiho 67

Dinoflagellate cysts from sediment traps deployed in the Bellingshausen, Weddell and Scotia seas, Antarctica
R. Harland and C.J. Pudsey 77

Relationships between the early Toarcian anoxic event and organic-walled phytoplankton in central Italy
R. Bucefalo Palliani and J.B. Riding 101

Late Cenozoic sea level changes evidenced by ostracodes in the Pelotas basin, southernmost Brazil
A.L. Carreño, J.C. Coimbra and D. Aparecido do Carmo 117

Late Cretaceous and Cainozoic bathyal Ostracoda from the Central Pacific (DSDP Site 463)
I. Boomer 131

Radiolarian distribution in the water column, southern Gulf of California, and its implication in thanatocoenose constitution
A. Molina-Cruz, L. Welling and A. Caudillo-Bohorquez 149

A multiproxy reconstruction of biological productivity and oceanography in the eastern equatorial Pacific for the past 30,000 years
P. Loubere 173

Varieties of a single cosmopolitan diatom species associated with surface water masses in the North Pacific
Y. Tanimura 199

Short Communication

Disintegration of aggregates and coccospheres in sediment trap samples
A.N. Bairbakhish, J. Bollmann, C. Sprengel and H.R. Thierstein 219

Acknowledgement 225

Special Issue: Marine Ostracoda and Global Change
(Edited by I. Boomer and A.R. Lord)

Introduction
Marine Ostracoda and global change
I. Boomer and A.R. Lord 227

Deep-sea ostracode species diversity: response to late Quaternary climate change
T.M. Cronin, D.M. DeMartino, G.S. Dwyer and J. Rodriguez-Lazaro 231
Reconstructing late Quaternary deep-water masses in the eastern Arctic Ocean using benthonic Ostracoda
R.Ll. Jones, R.C. Whatley, T.M. Cronin and H.J. Dowsett 251
Ostracoda (marine/nonmarine) and palaeoclimate history in the Upper Jurassic of Central Europe and North America
M.E. Schudack 273
Late Quaternary sea-level changes along the Tyrrhenian coast near Orbetello (Tuscany, central Italy): palaeoenvironmental reconstruction using ostracods
I. Mazzini, P. Anadon, M. Barbieri, F. Castorina, L. Ferreli, E. Gliozzi, M. Mola and E. Vittori 289
Ostracod assemblages in late Quaternary varved glaciomarine clay of the Baltic Sea Yoldia stage in eastern middle Sweden
K. Schoning and S. Wastegård 313
The marine podocopid Ostracoda of Easter Island: a paradox in zoogeography and evolution
R. Whatley and R. Jones 327
The palaeozoogeography of Oligocene to Recent marine Ostracoda from the Neotropics (mid- and South America) and Antarctica
A.M. Wood, M.I.F. Ramos and R.C. Whatley 345
Zoogeography of Holocene Podocopina (Ostracoda) from the Brazilian Equatorial shelf
J.C. Coimbra, I.D. Pinto, N.L. Würdig and D.A. do Carmo 365

Subject Index Volumes 35–37 381

Author Index Volume 37, 1999 389